

Essential Oils Direct Ltd

Safety Data Sheet

01. IDENTIFICATION OF THE SUBSTANCE/PREPARATION & THE COMPANY/UNDERTAKING

1.1 Product Identifier						
Product Name			Niaouli Oil			
Biolo	gical Definition		The volatile oil obtained from the leaves of Melaleuca viridiflora,			
			Myrtaceae			
INCI	Name		Melaleuca Viridiflora Leaf Oil			
Syno	nyms & Trade Nam	nes	-			
CAS-No 8014-68-8 / 132940-73-9		· ·	EC No.	310-217-5	EINECS No.	310-217-5
1.2	1.2 Relative identified uses of the substance or mixture and uses advised against					
	No additional data available.					
1.3	3 Details of the supplier of the safety data sheet					
	Essential Oils Direct Ltd 13 Parkside Industrial Estate, Royton, Oldham OL2 6DS - Reg No 04199912					
1.4	1.4 Emergency Tel. No.		+ 44 (0) 161 633 3952			

02. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The Full Text for all Hazard Statements are Displayed in Section 16.

Classification (EC 1272/2008)

Flammable liquid, Category 3 (Flam. Liq. 3, H226).

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Aspiration hazard, Category 1 (Asp. Tox. 1, H304).

2.2 Label Elements

Label in accordance with (EC) No 1272/2008









Signal Word	Danger
Contains	1,8-Cineole, Alpha-terpineol, Pinenes, (R)-P-Mentha-1,8-Diene,
	Para-Cymene
Hazard Statements	

Hazard Statemer	Hazard Statements		
H226	Flammable liquid and vapour.		
H304	May be fatal if swallowed and enters airways.		
H315	Causes skin irritation.		
H317 May cause an allergic skin reaction.			
H411	Toxic to aquatic life with long lasting effects.		

Precautionary Statements

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Supplementary Precautionary Statements

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P331 Do NOT induce vomiting.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

2.3 Other Hazards

PBT or vPvB according to Annex XIII		The substance does not satisfy the PBT or vPvP criteria in
		accordance with annexe XIII of the REACH regulations EC
		1907/2006.
	Adverse physio-chemical properties	No additional data available.
	Adverse effects on human health	No additional data available.

03. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

≤60.0% 1,8-CINEOLE CAS: 470-82-6, EC: 207-431-5

Classification (EC 1272/2008) Warning, Flam. Liq. 3, H226, Skin Sens. 1 – H317

≤20.0% ALPHA-TERPINEOL CAS-No.: 98-55-5 EC No.: 202-680-6

Classification (EC 1272/2008) Warning Flam. Liq. 3, H226, Skin Irrit. 2, H315 Eye Irrit. 2, H319

≤9.4% (R)-P-MENTHA-1,8-DIENE CAS: 5989-27-5, EC: 227-813-5

Classification (EC 1272/2008) Warning, Flam. Liq. 3, H226, Skin Irrit. 2, H315, Skin Sens. 1, H317, Aquatic Acute 1, H400, M Acute = 1, Aquatic Chronic 1, H410, M Chronic = 1

≤7.0% PINENES (ALPHA OR BETA)

Classification (EC 1272/2008) Dgr Flam. Liq. 3, H226, Asp. Tox. 1, H304, Skin Sens. 1, H317, Aquatic Acute 1, H400, M Acute = 1, Aquatic Chronic 1, H410, M Chronic = 1

≤6.0% HYDROCARBONS

Classification (EC 1272/2008) Danger Asp. Tox. 1, H304

≤2.0% PARA-CYMENE CAS: 99-87-6, EC: 202-796-7

Classification (EC 1272/2008) Danger, Flam. Liq. 3, H226, Asp. Tox. 1, H304, Aquatic Chronic 2, H411,

04. FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation Remove victim immediately from source of exposure. Get medical attention if any discomposition continues.			
Ingestion	Do not give the patient anything orally. In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor. Seek medical attention immediately, showing the label. If swallowed accidentally, do not allow to drink, do not induce vomiting and transfer to hospital immediately by ambulance. Show the label to the doctor.		
Skin Contact	Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner. Watch out for any remaining product between skin and clothing, watches, shoes, etc. In the event of an allergic reaction, seek medical attention. If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.		
Eye Contact	Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention immediately. Continue to rinse.		
4.2 Most impo	4.2 Most important symptoms and effects, both acute and delayed		
No additional data available.			
4.3 Indication	of any immediate medical attention and special treatment needed		
No addition	No additional data available.		

05. FIRE-FIGHTING MEASURES

Extinguishing Media

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

Keep packages near the fire cool, to prevent pressurised containers from bursting.

5.2 Special hazards arising from the product

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3 **Advice for firefighters**

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

06. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2 **Environmental Precautions**

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with

statutory procedures

Use drums to dispose of collected waste in compliance with current regulations (see section 13).

6.3 Methods and material for containment and cleaning up.

Clean preferably with a detergent, do not use solvents.

6.4 Reference to other sections

No additional data available.

07. HANDLING AND STORAGE

7.1 Precautions for safe handling

Individuals with a history of skin sensitisation should not, under any circumstance, handle this substance.

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Remove contaminated clothing and protective equipment before entering eating areas.

Fire prevention:

Handle in well-ventilated areas.

Prevent the formation of flammable or explosive concentrations in air and avoid vapour concentrations higher than the occupational exposure limits.

Never inhale this substance.

Prevent the accumulation of electrostatic charges with connections to earth.

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the substance is used.

Never open the packages under pressure.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from food and drink, including those for animals.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight.

Avoid accumulation of electrostatic charges.

Packaging

Always keep in packaging made of an identical material to the original.

7.3 Specific end use(s)

No additional data available.

08. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters No additional data available. 8.2 Exposure controls Protective Equipment

	uh	m

Process Conditions	Provide eyewash station.		
Engineering Measures	Provide adequate ventilation.		
Respiratory Equipment	For high concentrations use respiratory equipment.		
Hand Protection	Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.		
	Gloves must be selected according to the application and duration of use at the workstation.		
	Protective gloves need to be selected according to their suitability for the workstation		
	in question : other chemical products that may be handled, necessary physical		
	protections (cutting, pricking, heat protection), level of dexterity required.		
	Recommended properties :		
	- Impervious gloves in accordance with standard EN374		
Eye Protection	Avoid contact with eyes.		
	Use eye protectors designed to protect against liquid splashes.		
	Before handling, wear safety goggles in accordance with standard EN166.		
Other Protection	Use personal protective equipment that is clean and has been properly maintained.		
	Store personal protective equipment in a clean place, away from the work area.		
Hygiene Measures	Good personal hygiene practices are always advisable, especially when working with		
	chemicals / oils. Never eat, drink or smoke during use. Remove and wash		
	contaminated clothing before re-using. Ensure that there is adequate ventilation,		
	especially in confined areas.		
Personal Protection	Use personal protection according to Directive 89/686/EEC.		
Skin Protection	Avoid skin contact.		
	Wear suitable protective clothing.		
	Suitable type of protective clothing :		
	In the event of substantial spatter, wear liquid-tight protective clothing against		
	chemical risks (type 3) in accordance with EN14605 to prevent skin contact.		
	In the event of a risk of splashing, wear protective clothing against chemical risks (type		
	6) in accordance with EN13034 to prevent skin contact.		
	Work clothing worn by personnel shall be laundered regularly.		
	After contact with the product, all parts of the body that have been soiled must be		
	washed.		
Environmental Exposure Controls	Avoid discharging into drainage water. Only eliminate by authorised companies.		

09. PHYSICAL AND CHEMICAL PROPERTIES

Revision Date: 01/12/2016

9.1 Information on basic physical and chemical properties		
Appearance Liquid.		
Colour	Colourless to pale yellow.	
Odour Characteristic.		
Relative Density 0.903 - 0.924 @ 20°C		

Essential Oils Direct Ltd – 13 Parkside Industrial Estate, Edge Lane St, Royton OL2 6DS - 0161 633 3952 Reg No 04199912 www.essentialoilsdirect.co.uk

Flash Point (°C)	23°C <= PE <= 55°C	
Refractive Index	1.465 – 1.472@ 20°C	
Melting Point (°C)	No additional data available.	
Boiling Point (°C)	No additional data available.	
Vapour Pressure	No additional data available.	
Solubility in Water @20°C	Insoluble in water.	
Auto-ignition	No additional data available.	
temperature (°C)		
9.2 Other information		
No additional data available.		

10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reactions known.

10.2 Chemical stability

This substance is stable under the recommended handling and storage conditions in section 7.

10.3 Possible hazardous reactions

No additional data available.

10.4 Conditions to Avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid

- accumulation of electrostatic charges.
- heating
- heat
- flames and hot surfaces

10.5 Incompatible materials

No additional data available.

10.6 Hazardous Decomposition Products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

11. TOXOLOGICAL INFORMATION

11.1 Information on toxicological effects		
Acute Toxicity	May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours. May cause an allergic reaction by skin contact. Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.	
Skin corrosion / irritation	No additional data available.	
Serious eye damage / irritation	No additional data available.	
Respiratory or skin sensitisation	No additional data available.	
Germ Cell Mutagenicity	No additional data available.	
Carcinogenicity	No additional data available.	

Reproductive toxicity	No additional data available.
STOT-single exposure	No additional data available.
STOT-repeated exposure	No additional data available.
Aspiration hazard	May be fatal if swallowed and enters airways. Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.
Photo-toxicity	No additional data available.
Other Information	No additional data available.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.2 Persistence & degradability

Degradability: No data available.

12.3 Bioaccumulation Potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4 Mobility in soil

No additional data available.

12.5 Results of PBT and vPvB Assessment

No additional data available.

12.6 Other adverse effects

No additional data available.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water,

air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

14. TRANSPORT INFORMATION

14.1	UN number	
	UN No. Road	1169
	UN No. SEA	1169
	UN No. AIR	1169
14.2	UN proper shipping name	

UN1169=EXTRACTS, AROMATIC, LIQUID

14.3 Transport hazard class(es)

ADR/RID/ADN Class 3 ADR/RID/ADN Class Class 3 IMDG Class 3 ICAO Class/Division 3

Transport Labels



14.4 Packing group

ADR/RID/ADN Packing group III IMDG Packing group III ICAO Packing group III

14.5 Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant



14.6 Special precautions for user

EMS F-E,S-D

Emergency Action Code F1

Hazard No. (ADR) 90 Environmentally hazardous substance

Tunnel Restriction Code (D/E)

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC code

No additional data available

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

Guidance Notes

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

Revision Date: 01/12/2016 Rev No/Repl SDS Generated 03

15.2 Chemical safety assessment No additional information available.

16. OTHER INFORMATION

Revision Date: 01/12/2016

Hazard and/or Precautionary	11226 Flammable liquid and vanour
•	H226 Flammable liquid and vapour.
Statements in Full	H304 May be fatal if swallowed and enters airways.
	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H319 Causes serious eye irritation.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.
	H411 Toxic to aquatic life with long lasting effects.
Other Information	None
Revision Date	01/12/2016
Reason for revision	Updated
Rev No/Repl, SDS Generated	03 replaces 02

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.